



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/127,644	07/31/1998	RETO SCHOB	15258-337	1526

7590

03/11/2004

J GEORG SEKA
TOWNSEND AND TOWNSEND CREW
EIGHTH FLOOR
TWO EMBARCADERO CENTER
SAN FRANCISCO, CA 941113834

EXAMINER

TAMAI, KARL I

ART UNIT	PAPER NUMBER
----------	--------------

2834

DATE MAILED: 03/11/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

09/127644

EXAMINER

ART UNIT	PAPER
----------	-------

20040304


DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

This is a supplemental Examiners Answer in response to a remand from the Board of Appeals and Interferences dated 2/14/2004. The examiner has:

1. The examiner has provided translations of the Japanese, WIPO, and German references, but these references were used to rejection dependent claims which are not at issue on appeal. These references are cited on the accompanying PTO-892. Along with the US equivalent of the WIPO reference by Schob.
2. Removed Claim 9 from the rejection over Lyman and Nichols, because Claim 9 was cancelled on the amendment dated 1/12/01.
3. Provided specificity to the rejection of the dependent claim, which is not at issue because it stands and falls with the parent claim.


KARL TAMAI
PRIMARY EXAMINER

Tamai IE Karl
Primary Examiner
Art Unit: 2834

Application/Control Number: 09/127,644
Art Unit: 2834

Page 2



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

**BEFORE THE BOARD OF PATENT APPEALS
AND INTERFERENCES**

Paper No. 25

Application Number: 09/127,644
Filing Date: July 31, 1998
Appellants: SCHOB, RETO

Kevin LeMond
For Appellant

**SUPPLEMENTAL
EXAMINER'S ANSWER**

Pursuant to the Remand under 37 CFR 1.193(b)(1) by the Board of Patent Appeals and Interferences on 2/12/2004 a supplemental Examiner's Answer is set forth below:

(1) *Real Party in Interest*

A statement identifying the real party in interest is contained in the brief.

(2) *Related Appeals and Interferences*

A statement identifying the related appeals and interferences which will directly affect or be directly affected by or have a bearing on the decision in the pending appeal is contained in the brief.

(3) *Status of Claims*

The statement of the status of the claims contained in the brief is correct.

(4) *Status of Amendments After Final*

The appellant's statement of the status of amendments after final rejection contained in the brief is correct.

(5) *Summary of Invention*

The summary of invention contained in the brief is correct, but does not refer to the specification by line and page number.

(6) *Issues*

The appellant's statement of the issues in the brief is correct.

(7) Grouping of Claims

The rejection of claims 1, 3, 4, 5, 8, 10, and 14 stand or fall together because appellant's brief does not include a statement that this grouping of claims does not stand or fall together and reasons in support thereof. See 37 CFR 1.192(c)(7).

(8) Claims Appealed

The copy of the appealed claims contained in the Appendix to the brief is correct.

(9) Prior Art of Record

<u>PATENT NUMBER</u>	<u>INVENTOR</u>	<u>PUBLICATION DATE</u>
US 4,043,614	Lyman	8/1977
WO 97/15978	Nichols et al.	5/1997
EP 130,541	Shimamoto	6/1984
US 4,668,885	Scheller	5/1987
JP 59-113,316	Machino	6/1984
DE 945,183	Kaspar	7/1956
WO 96/31934	Schob et al.	10/1996
US 6,100,618	US equivalent: WO96/31934	

(10) Grounds of Rejection

The following grounds of rejection are applicable to the appealed claims:

Claims 1, 3-8, 10, 14, and 17-21 are rejected under 35 U.S.C. 103. This rejection is set forth in prior Office Action, Paper No.16. The rejection is repeated below for the convenience of the Board of Appeals and Interferences.

Claims 1, 4, 8, 10, and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nichols and Lyman. Nichols teaches a magnetically levitated ring shaped rotor which the stator having axially aligned levitating magnets and circumferentially disposed field windings 40 to rotate the rotor. Nichols teaches unipolar rotor flux in the ferromagnetic, reluctance poles of the rotor which close the magnetic circuit with the stator bearing magnets 38. Nichols teaches control windings 42 on the stator to control the unipolar magnetic bearing flux. Nichols teaches every aspect of the invention, except permanent magnets on the rotor creating unipolar magnetic bearing flux and an additional stator(or two) in a plane parallel with bearing plane. Lyman teaches an axially oriented permanent magnet 31 on the rotor to provide magnetic bearing flux across the air gap with the stator. Lyman teaches the rotor can be either disk shaped inside the ring shaped stator or the rotor can be ring shaped outside the stator. Lyman teaches a plurality of stators in parallel to provide magnetic bearing support to the rotor. Lyman does not teach a plurality of magnets on the arranged on the disk shaped rotor. Nichols teaches the permanent magnet producing the bearing flux being four circumferentially, spatially modulated magnets 38a rather than a single permanent magnet. It would have been obvious to a person skilled in the art at the time of the invention to construct the motor of Nichols with the permanent magnet on the rotor as in Lyman to efficiently support a rotor with a large moment of inertia, and with a first and second stator in parallel with the bearing plane because Lyman teaches a plurality of bearing disks provide additional support to rotor.

Claims 1, 3, 4, 5, 8, 10, and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shimamoto and Scheller(US 4,668,885). Shimamoto teaches annular rings on the rotor and stator with a unipolar flux journal, where the stator includes a means to produce a field 30 for the rotation of the rotor. Shimamoto teaches control windings 82, 84, 86, 88 to control the magnet journal flux. Shimamoto teaches an axially magnetized permanent magnets 62/64 on the stator having control windings 88 and axially magnetized permanent magnets 70/72 on the rotor, where the permanent magnets 62/64 and 70/72 are positioned on opposite sides of a rotor ring 56 and stator disk 48. Shimamoto teaches rings 66 and 68 which are parallel to the bearing plane at 46. Shimamoto teaches a disc shaped motor stator 16 which is parallel to the bearing plane. Shimamoto does not teach the magnets being spatially modulated. Scheller teaches a plurality of spatially modulated magnets 10 are equivalent to an annular ring magnet. It would have been obvious to a person skilled in the art at the time of the invention to construct the motor of Shimamoto with spatially modulated magnets because Scheller teaches a plurality of spatially modulated magnets are simple and easy to manufacture.

Claims 6 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shimamoto and Scheller, in further view of Machino. Shimamoto and Scheller teach every aspect of the invention, except the permanent magnets on the rotor and stator being both radially aligned and alternately aligned(one axially/one radially magnetized). Machino teaches the equivalence of permanent magnets being both axially aligned(figure 1a), both radially aligned (figure 1b) and alternately aligned(figure 3

showing the stator magnet being radially magnetized with the rotor magnet being axially aligned). It would have been obvious to a person skilled in the art at the time of the invention to construct the motor of Shimamoto and Scheller with the bearing magnets on the rotor and stator being both radially aligned or alternately aligned because Machino teaches the equivalence of the magnetization of the bearings being axially, radially or alternatively magnetized, and it would have an obvious selection of equivalents to choose between different magnetization for the bearing.

Claims 17-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nichols and Lyman, in further view of German Patent 945,183('183). Nichols and Lyman teach every aspect of the invention except, a rotatable drive which can be magnetically coupled to the rotor. '183 teaches a magnetic couple drive with a radial magnetic couple 20 and an axial magnetic couple 11 which are equivalent to a motor driven 28 rotor. It would have been obvious to a person skilled in the art at the time of the invention to construct the motor of Nichols and Lyman with the magnetic couple drive because '183 teaches the equivalence of a magnetic couple drive and a motor drive, such that it would have been an obvious design choice to select between known equivalents, and because a mechanical drive allows the drive source to be positioned away from the rotor.

Claims 20 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nichols and Lyman, in further view of Schoeb. Nichols and Lyman teach every aspect of the invention, except the use of the motor in biological liquids and in a bio-reactor. Schoeb teaches the use of motors in biological liquids and in a bio-reactor.

Specifically, Schoeb teaches the motor for use as a blood pump (a biological liquid). It would have been obvious to a person skilled in the art at the time of the invention to construct the motor of Nichols and Lyman for use in biological liquids to allow the motors to operate as blood pumps, as in Schoeb.

(11) *Response to Argument*

The Applicant's argument that there is no motivation Nichols and Lyman is not persuasive. Nichols teaches a unipolar magnetic bearing (flux always travels the same direction) with the unipolar flux being generated on the stator. Nichols teaches every aspect of the invention except the permanent magnets are on the stator instead of the rotor. Lyman teaches that it is known to position the magnets of a unipolar bearing on the rotor. It is inherent that the magnet on the rotor complements the magnet on the stator and provides addition flux to the bearing system and additional inertia/weight. Lyman specifically teaches in column 8, line 24-25 that the magnetic bearing system can be made with or without the rotor magnet. It is within the ordinary skill in the art to choose between the known equivalents to provide a rotor with or without the rotor magnet.

The Applicant's argument that Nichols does not teach the magnet to cause the inhomogeneous flux is not correct. The magnetic flux from the permanent magnets becomes spatially modulated at the air gap between the rotor the stator due to the teeth on the rotor and the stator. The Applicant's argument that Lyman teaches away from inhomogeneous magnetic flux is not persuasive. The Lyman teaches spatially modulated flux due to the stator pole teeth. The Applicant's argument regarding

minimizing disturbances and compensation means (as in col. 1, line 41 is not persuasive). The flywheels of Lyman and Nichols are dynamic systems which include feedback systems to compensation coils to maintain the position of the rotor against unbalance, not against inhomogeneous flux. There is no teaching in Lyman against or away from inhomogenous flux. The combined teaching of the two references clearly shows that the unipolar magnetic bearings, such as Nichols can be made with or without magnets on the rotor, as taught by Lyman. The rejection is proper and should be maintained.

The Applicant's arguments that Lyman and Nichols do not teach inhomogeneous magnetic flux is not persuasive. Both references teach spatially alternating magnet flux because the magnetic flux from the permanent magnets is spatially alternated by the poles on the rotor and the stator. The poles create areas of high and low magnetic permeability, which is spatially alternating.

The Applicant's argument regarding impermissible hindsight is not persuasive. The Applicant must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971). The rejection of the claims are based solely on Lyman and Nichols, as set Final Office Action. The rejection of the Applicant's overbroad claims should be maintained.

The Applicant's argument that Shimamoto and Scheller do not teach an inhomogeneous magnet. Scheller teaches an inhomogeneous magnetic field (spatially alternating) on col. 3, line 29. The Applicant's argument is directly contrary to Scheller's teaching that the magnet can be either spatially modulated (separated) or homogenous (closely spaced). The Applicant's argument that Lyman and Shimamoto require homogenous magnetic fields is not persuasive. They only require ring magnets, which Scheller teaches can be homogenous or spatially modulated. The Applicant is arguing that spatially modulated ring magnets is a patentable feature which should be removed from the public domain by the issuance of this application as a patent, when Scheller teaches the magnet is known in the art. The rejection is proper and should be maintained.

Application/Control Number: 09/127,644
Art Unit: 2834

Page 11

For the above reasons, it is believed that the rejections should be sustained.

Respectfully submitted,



Karl I.E. Tamai
Primary Examiner
Art Unit 2834

KARL TAMAI
PRIMARY EXAMINER

KIT
March 4, 2004

J GEORG SEKA
TOWNSEND AND TOWNSEND CREW
EIGHTH FLOOR
TWO EMBARCADERO CENTER
SAN FRANCISCO, CA 94111-3834